



## **S p e c i f i c a t i o n**

Product:	Hot Air Rubber Melter.
Model:	½ & 1 Drum Hand Stirred
Capacity:	25 gallon & 50 gallons (approx.)
Type:	Digital thermostat control
Mounted On:	2 No. 150mm swivel casters. 2 No. 150mm swivel/braked casters.
Power:	1.1 hand agitated.
Agitation:	Oscillating hand paddle.
Construction:	
Main Body Frame:	40 x 40 x 2mm SHS
Outside Case:	2mm mild steel sheet
Material Pan:	Half diameter type – 4mm mild steel plate
Pan End Plates:	Profiled – 5mm mild steel plate
Stirrer Shaft:	40mm BMS
Material Outlet:	Gate Type.
Firing:	LPG propane gas.
Burner:	45 mm open nozzle.
Burner Firing Tube:	4.000 NB SCH40 304 stainless steel pipe.



Material Outlet:	Gate Type
Temperature Control:	Digital electric thermostat control
Temperature Gauge:	Digital
Lifting Facilities:	None fitted

#### Shipping Dimensions:

##### Half Drum:

Overall Length:	1470mm
Overall Width:	772mm
Working Height:	1000mm
Overall Height:	1470mm including stirring handle
Weight:	250 kg approximately

##### 1 Drum:

Overall Length:	1870mm
Overall Width:	900mm
Working Height:	850mm
Overall Height:	1150mm including stirring handle
Weight:	380kg approximately

This specification and any drawings/images related to it are the sole copyright of WJ Horrod and must not be passed to a third party without prior consent of WJ Horrod Ltd.

WJ Horrod reserves the right to alter, change or modify this product to improve it without prior notice.

All sizes, weights and capacity are approximate.

 72 Years of Excellence  
**Horrods**  
Engineering ~ Safety ~ Efficiency

