



Horrod

Safety
Quality
Durability



Engineering & Design Excellence since 1950

1 Leaway Lea Bridge Road London E10 7QW www.wjhorrod.co.uk 020 8539 8746

Specification

Product:	Hot Rubber Melter.
Capacity:	1 Drum - 180 Litres – Approx.
Model:	3 Phase Fully Electric
Power:	415-volt 3 phase – 32 amps (load 20 kW).
Plug:	3 pin female neutral & earth into Melter – 3 pin male neutral & earth into power source.
Control Panel:	Digital – Temperature Control.
Burner:	Electric heating element.
Main Frame:	40 x 40 x 2mm RHS.
Pan:	5mm plate.
End Plates:	Profiled 6mm.
Outside Case Sheet:	2mm.
Outlet:	Profiled.
Forklift Locating Sleeves:	Channel.
Drive:	415/30/3 phase motor – gearbox.
Insulation:	High temperature Rockwool dense slab.
Stirrer Shaft:	40mm BMS.



H o r r o d s

Safety
Quality
Durability



Engineering & Design Excellence since 1950

1 Leaway Lea Bridge Road London E10 7QW www.wjhorrod.co.uk 020 8539 8746

Stirrer Shaft

Bearings: 40mm Pillar block.

Casters: 2 No. 200mm polyurethane fixed
2 No. 200mm polyurethane swivel/braked.

Lifting Eyebolts: M20 metric collared.

D Shackles: 3.25-ton green pin safety.

Dimensions:	Length:	1980mm
	High:	1560mm
	Width:	790mm
	Loading Height:	930mm
	Weight:	554kg

This specification and any drawings/images related to it are the sole Copyright of WJ Horrod Ltd and must not be passed to a third party without prior consent.

WJ Horrod Ltd reserves the right to alter, change or modify this equipment to improve it without prior notice.



1 Leaway Lea Bridge Road London E10 7QW



H o r r o d s

Safety
Quality
Durability



Engineering & Design Excellence since 1950

1 Leaway Lea Bridge Road London E10 7QW www.wjhorrod.co.uk 020 8539 8746



Image above does not display 1 drum unit and is for reference purposes only.



1 Leaway Lea Bridge Road London E10 7QW